

Inorganic Water Quality

December 2006

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO3	TDS mg/L	Sodium mg/L	pH units
SP-001	26-Dec-06	1	132	338	52	8.0
SP-005	26-Dec-06	1	58	197	41	8.2
SP-030	26-Dec-06	1	127	328	46	7.8
SP-035	11-Dec-06	1	214	441	52	7.5
SP-140	19-Dec-06	1		390		7.8
SP-145	11-Dec-06	1		586		7.4
SP-150	5-Dec-06	1		605		7.7
SP-155	14-Dec-06	1		608		7.5
SP-233	26-Dec-06	1		344		7.8
SP-235	19-Dec-06	1		398		7.9
SP-238	19-Dec-06	1	142	354	58	7.8
SP-010	26-Dec-06	2		382		8.1
SP-015	26-Dec-06	2		385		8.0
SP-020	11-Dec-06	2		365		7.8
SP-040	26-Dec-06	2	154	380	56	8.0
SP-050	6-Dec-06	2		351		7.7
SP-055	6-Dec-06	2		364		7.7
SP-060	11-Dec-06	2		348		7.7
SP-065	11-Dec-06	2	164	352	46	7.7
SP-070	11-Dec-06	2		355		7.7
SP-075	6-Dec-06	2		361		7.8
SP-085	11-Dec-06	2	133	287	40	7.6
SP-100	19-Dec-06	2	175	383	55	7.9
SP-110	19-Dec-06	2		378		7.7
SP-170	19-Dec-06	2		378		7.9
SP-255	20-Dec-06	2	171	382	56	8.0
SP-260	20-Dec-06	2		367		8.0
SP-262	12-Dec-06	2		351		7.8
SP-265	6-Dec-06	2	160	348	45	7.6
SP-270	11-Dec-06	2		325		7.8
SP-275	12-Dec-06	2		375		7.7
SP-280	6-Dec-06	2	168	357	46	7.7
SP-285	11-Dec-06	2		248		7.6
SP-290	20-Dec-06	2		371		8.0
SP-295	12-Dec-06	2	155	323	44	7.8
SP-300	11-Dec-06	2		353		7.7
SP-305	12-Dec-06	2	111	243	34	7.8
SP-355	11-Dec-06	2		261		7.7
SP-105	5-Dec-06	3		227		7.9
SP-115	5-Dec-06	3	144	321	41	7.7
SP-120	11-Dec-06	3		222		7.4
SP-160	5-Dec-06	3		212		7.8
SP-162	11-Dec-06	3		268		7.7

Inorganic Water Quality December 2006

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO ₃	TDS mg/L	Sodium mg/L	pH units
SP-165	5-Dec-06	3	104	252	37	7.8
SP-175	14-Dec-06	3	176	367	54	7.7
SP-180	14-Dec-06	3		371		7.6
SP-185	5-Dec-06	3		418		7.7
SP-190	11-Dec-06	3	82	201	32	7.9
SP-200	14-Dec-06	3		439		7.7
SP-205	5-Dec-06	3		212		7.8
SP-210	26-Dec-06	3		394		8.0
SP-215	14-Dec-06	3		399		7.8
SP-220	5-Dec-06	3		339		7.8
SP-225	19-Dec-06	3	170	390	58	8.0
SP-230	14-Dec-06	3	199	424	61	7.8
SP-240	5-Dec-06	3	107	287	49	7.8
SP-245	26-Dec-06	3	154	389	54	8.0
SP-250	19-Dec-06	3		392		8.0
SP-755	19-Dec-06	3		388		8.0
SP-760	5-Dec-06	3		452		7.6
SP-765	5-Dec-06	3	219	463	62	7.6
SP-770	11-Dec-06	3		458		7.6
SP-775	14-Dec-06	3	231	460	59	7.8
SP-780	14-Dec-06	3		452		7.9
SP-790	11-Dec-06	3		459		7.7
SP-795	5-Dec-06	3		378		7.6
SP-800	5-Dec-06	3	222	479	61	7.6
SP-805	14-Dec-06	3		429		7.7
SP-810	19-Dec-06	3		372		8.0
SP-825	11-Dec-06	3		457		7.7
SP-830	5-Dec-06	3		484		7.6
SP-850	4-Dec-06	3		486		7.4
SP-125	19-Dec-06	4		290		8.0
SP-130	14-Dec-06	4		227		8.0
SP-135	11-Dec-06	4		209		7.9
SP-311	6-Dec-06	4		254		7.8
SP-325	20-Dec-06	4		382		8.0
SP-330	20-Dec-06	4		383		8.0
SP-335	19-Dec-06	4	158	366	53	7.9
SP-340	12-Dec-06	4		209		7.8
SP-345	12-Dec-06	4		188		7.7
SP-704	13-Dec-06	4		207		7.8
SP-708	13-Dec-06	4	103	210	30	7.7
SP-866	14-Dec-06	4	166	367	59	8.0
SP-870	11-Dec-06	4		205		7.9
SP-872	19-Dec-06	4		382		8.0

Inorganic Water Quality December 2006

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO ₃	TDS mg/L	Sodium mg/L	pH units
SP-874	11-Dec-06	4		212		7.6
SP-876	11-Dec-06	4	99	212	32	7.5
SP-878	14-Dec-06	4		393		7.9
SP-882	19-Dec-06	4		388		8.0
SP-884	13-Dec-06	4	83	191	34	8.0
SP-886	11-Dec-06	4	72	190	33	7.9
SP-888	13-Dec-06	4		337		7.9
SP-890	19-Dec-06	4	161	392	56	7.9
SP-894	13-Dec-06	4		334		7.9
SP-896	13-Dec-06	4		344		8.0
SP-898	4-Dec-06	4		202		7.7
SP-315	6-Dec-06	5		287		7.8
SP-320	12-Dec-06	5		297		7.9
SP-385	12-Dec-06	5		223		7.5
SP-390	20-Dec-06	5		361		8.0
SP-395	12-Dec-06	5	98	223	34	7.4
SP-400	20-Dec-06	5		350		8.0
SP-405	4-Dec-06	5		260		7.3
SP-535	20-Dec-06	5		339		7.8
SP-540	20-Dec-06	5		353		7.4
SP-545	11-Dec-06	5	111	230	33	7.8
SP-550	6-Dec-06	5		222		7.5
SP-555	12-Dec-06	5		228		7.3
SP-560	20-Dec-06	5	155	329	48	7.9
SP-602	18-Dec-06	5	91	198	35	8.0
SP-604	13-Dec-06	5		171		7.9
SP-605	18-Dec-06	5		353		7.9
SP-608	13-Dec-06	5		191		7.9
SP-610	13-Dec-06	5	108	227	35	7.6
SP-612	18-Dec-06	5	179	385	62	7.9
SP-618	6-Dec-06	5	101	210	30	7.8
SP-622	18-Dec-06	5	171	367	57	8.0
SP-623	4-Dec-06	5		289		7.7
SP-624	4-Dec-06	5		227		7.9
SP-627	4-Dec-06	5	90	203	32	8.0
SP-706	12-Dec-06	5	95	197	26	7.8
SP-712	13-Dec-06	5		235		7.6
SP-714	20-Dec-06	5	166	377	57	7.9
SP-716	18-Dec-06	5		387		8.0
SP-718	18-Dec-06	5		383		7.9
SP-722	13-Dec-06	5		194		7.9
SP-724	14-Dec-06	5		193		7.9
SP-726	13-Dec-06	5	127	278	40	7.9

Inorganic Water Quality December 2006

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO ₃	TDS mg/L	Sodium mg/L	pH units
SP-728	13-Dec-06	5	136	275	42	7.8
SP-746	13-Dec-06	5		221		7.8
SP-880	13-Dec-06	5		204		7.9
SP-900	18-Dec-06	5		262		7.7
SP-360	11-Dec-06	6	99	215	33	7.6
SP-375	20-Dec-06	6	162	353	54	8.0
SP-380	6-Dec-06	6		241		7.4
SP-415	20-Dec-06	6		365		7.9
SP-435	12-Dec-06	6		234		7.6
SP-565	4-Dec-06	6	101	246	38	7.3
SP-570	11-Dec-06	6	129	279	38	7.5
SP-580	12-Dec-06	6		260		7.2
SP-585	18-Dec-06	6		226		8.0
SP-590	6-Dec-06	6	89	218	38	8.0
SP-595	18-Dec-06	6		342		7.9
SP-614	18-Dec-06	6		371		8.0
SP-615	6-Dec-06	6		239		7.6
SP-620	4-Dec-06	6		250		7.9
SP-625	18-Dec-06	6		360		8.0
SP-630	4-Dec-06	6		250		7.9
SP-635	6-Dec-06	6	118	252	36	7.5
SP-640	6-Dec-06	6		243		7.5
SP-645	18-Dec-06	6	153	337	49	8.0
SP-650	6-Dec-06	6		245		7.7
SP-655	4-Dec-06	6		217		8.1
SP-690	4-Dec-06	6		224		8.0
SP-695	18-Dec-06	6		231		8.0
SP-700	18-Dec-06	6		372		8.0
SP-701	4-Dec-06	6	116	232	31	7.9
SP-705	18-Dec-06	6	173	371	58	8.0
SP-710	18-Dec-06	6		372		8.0
SP-715	4-Dec-06	6	110	253	35	7.8
SP-365	4-Dec-06	7		255		7.1
SP-370	20-Dec-06	7	130	278	44	7.8
SP-420	11-Dec-06	7		250		7.3
SP-425	12-Dec-06	7		240		7.5
SP-430	11-Dec-06	7		244		7.3
SP-505	12-Dec-06	7	98	216	33	7.7
SP-510	20-Dec-06	7		280		7.9
SP-515	11-Dec-06	7		301		7.6
SP-520	18-Dec-06	7		227		8.0
SP-525	6-Dec-06	7		230		7.9
SP-575	18-Dec-06	7	94	182	29	8.0

Inorganic Water Quality December 2006

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO ₃	TDS mg/L	Sodium mg/L	pH units
SP-660	4-Dec-06	7		181		7.8
SP-665	18-Dec-06	7		223		7.9
SP-670	18-Dec-06	7	125	225	32	7.9
SP-675	4-Dec-06	7	113	232	29	7.8
SP-680	18-Dec-06	7		218		7.8
SP-685	18-Dec-06	7		218		7.8
SP-720	4-Dec-06	7		239		7.9
SP-725	4-Dec-06	7		228		7.8
SP-727	18-Dec-06	7		226		8.0
SP-730	4-Dec-06	7		225		7.8
SP-731	18-Dec-06	7	121	253	36	8.0
SP-732	4-Dec-06	7	119	233	31	7.9
SP-733	18-Dec-06	7	114	221	30	7.8
SP-734	18-Dec-06	7	121	224	32	7.9
SP-736	18-Dec-06	7		220		7.8
SP-738	18-Dec-06	7		211		7.8
SP-740	6-Dec-06	7	113	231	29	7.7
SP-742	6-Dec-06	7		242		7.7
SP-267	4-Dec-06	8		447		7.5
SP-277	4-Dec-06	8	276	445	44	7.6
SP-410	4-Dec-06	8		323		7.8
SP-628	18-Dec-06	8		384		7.8
SP-908	19-Dec-06	8		387		7.8
SP-910	19-Dec-06	8		385		7.9
SP-912	4-Dec-06	8	223	403	43	7.0
SP-914	19-Dec-06	8		386		7.9
SP-916	19-Dec-06	8		385		7.9
SP-918	6-Dec-06	8		270		7.8
SP-920	6-Dec-06	8		212		7.9
SP-922	19-Dec-06	8	214	381	41	7.7
SP-924	6-Dec-06	8	219	390	39	7.6
SP-926	19-Dec-06	8	167	385	56	7.8
SP-928	6-Dec-06	8	112	243	34	7.8
SP-930	6-Dec-06	8		383		7.6
SP-932	6-Dec-06	8		384		7.7
SP-936	6-Dec-06	8	216	385	40	7.5
SP-950	13-Dec-06	8		482		7.4
SP-952	13-Dec-06	8	282	484	49	7.4
SP-974	6-Dec-06	8	254	460	46	7.4
SP-820	19-Dec-06	9		253		7.9
SP-835	4-Dec-06	9		486		7.4
SP-840	13-Dec-06	9		460		7.4
SP-845	4-Dec-06	9		479		7.4

Inorganic Water Quality December 2006

Sample Point	Sample Date	WQZ	Hardness mg/L as CaCO ₃	TDS mg/L	Sodium mg/L	pH units
SP-852	19-Dec-06	9	97	233	43	8.0
SP-854	5-Dec-06	9		346		7.6
SP-856	13-Dec-06	9	170	367	54	7.9
SP-858	13-Dec-06	9	290	492	48	7.5
SP-860	6-Dec-06	9	284	480	47	7.7
SP-862	19-Dec-06	9	161	385	55	7.8
SP-863	13-Dec-06	9		332		7.7
SP-892	19-Dec-06	9		384		7.9
SP-902	19-Dec-06	9	164	386	56	7.9
SP-904	4-Dec-06	9	264	483	46	7.4
SP-906	4-Dec-06	9		486		7.4
SP-940	13-Dec-06	9	77	205	38	7.9
SP-942	6-Dec-06	9		209		7.9
SP-944	13-Dec-06	9		285		7.7
SP-946	6-Dec-06	9		466		7.6
SP-948	13-Dec-06	9		493		7.4
SP-954	19-Dec-06	9		207		7.9
SP-956	19-Dec-06	9		206		7.9
SP-958	13-Dec-06	9		316		7.5
SP-938	13-Dec-06	10		391		7.5
SP-960	13-Dec-06	10		206		7.9
SP-962	13-Dec-06	10	78	207	39	8.0
SP-964	6-Dec-06	10		206		7.9
SP-966	13-Dec-06	10		205		7.8
SP-972	6-Dec-06	10	77	206	37	7.9
SP-978	6-Dec-06	10	77	205	38	7.9
SP-980	6-Dec-06	10		210		7.7
SP-982	6-Dec-06	10		205		7.9
SP-984	4-Dec-06	10	76	210	38	7.9
SP-986	4-Dec-06	10		211		7.9
SP-988	6-Dec-06	10		205		7.9
SP-990	6-Dec-06	10		207		7.9